

RECEIVED
CENTRAL FAX CENTERApplication No. 10/697,178
Response to Office Action

Customer No. 01933

JUN 8 2004
OFFICIALAttorney Docket No. 03649/LHIN THE UNITED STATES PATENT
AND TRADEMARK OFFICE

Applicant(s): M. HORIUCHI et al

Serial No. : 10/697,178

Filed : October 29, 2003

For : IMAGE PROCESSING APPARATUS,
IMAGE PROCESSING METHOD AND
PROGRAM

Art Unit : 2851

Examiner : NGUYEN, HUNG

Conf. No. : 8148

RESPONSE - 37 CFR 1.111Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
MAIL STOP AMENDMENT

S I R :

This is responsive to the Office Action mailed May 21, 2004,
the term for response to which expires on June 21, 2004.

ELECTION

Applicants hereby elect Invention I, claims 1-25, drawn to a density adjustment method for adjusting a density of a diagnostic image formed on a film, corresponding image processing method and system and a program for making a computer conduct an image processing for further prosecution on the merits, without traverse.

Application No. 10/697,178
Response to Office Action

Customer No. 01933

It is respectfully submitted that this submission is fully responsive to the outstanding Office Action.

It is respectfully requested that prosecution on the merits now proceed on the basis of the election set forth above.

If the Examiner has any comments, questions, objections or recommendations, the Examiner is invited to telephone the undersigned at the telephone number given below for prompt action.

Respectfully submitted,



Douglas Holtz, Esq.
Reg. No. 33,902

Frishauf, Holtz, Goodman & Chick, P.C.
767 Third Avenue - 25th Floor
New York, New York 10017-2023
Tel. No. (212) 319-4900
Fax No. (212) 319-5101
DH/nps